# SIGN AND GRAPHICS **SUN SIGN**





















# **OUR BRANDS**



# **ABOUT US**

**Sun Sign & Technologies** is one of the largest distribution house in India having wide range of solvent & inkjet printable media and is exclusive channel partner of Star Flex Korea, for India, Nepal & Bangladesh markets. SST is proud to be associated with Star flex for about a decade and the relationship is growing stronger day by day. With joint marketing efforts of SST & Star flex, today Star flex has become the first choice of corporate for their most valuable advertisement campaigns and signage billboards. With its corporate office at Delhi, Sun Sign & Technologies have pan India presence having huge network of offices, warehouse & dealers.

STAR FLEX	04	
SUNSTAR	08	
MCCAL	13	×
SENFA	14	Ш
STARTEC	16	
SIGN TEK	17	
E-POWER	20	
INTERONE	22	



#### **OUR PRODUCTS**

Frontlit Flex	Backlit Flex	SHD 60 Scrimless Backlit Flex
Blockout (Both Side Printable)	Strip Mesh	Super Canvas
PE Media (PVC Free)	Self Adhesive Vinyl Gloss/Matt	Self Adhesive Vinyl Grey Back
Clear Vinyl Gloss/Matt	Lamination Gloss/Matt	One Way Vision
Samsung LED	LED Module	LED Power Supply

#### **OUR CORPORATE CLIENTS IN INDIA**



























Flex available upto 5 m width









#### Construction

It consists of high density polyster laminated-both sides of PVC, UV and Acrylic Lacquer Assures the best durable quality

#### **CHECK FOR ORIGINAL**







#### **STAR FLEX SUPER CANVAS 600 M**

Get masterpiece archival quality at a price that'll let you decorate an entire business campus or hotel. Eco Solvent canvas comes in a variety of weights and finishes that deliver excellent printability and color rendition and remarkable flexibility without cracking.

FEATURES	APPLICATION
White	Water resistant
Matt	Can be framed, mounted and sewn
Real polyester/cotton canvas	High resistant against cracking
Excellent weave structure for highest print quality	Suitable or lacquering and spray
SIZE: (Width - 3 to 10 feet) lenght - 50 mtr.	



(An ISO 9001:2008 Certified Co.)
MADE IN KOREA



#### STAR FLEX SOLVENT INK-JET MEDIA

High durability (Heat, UV, Fungus & Water Resistant) UV coating to prevent from colour fading & yellowing 2-5 years warranty under normal use & condition

#### **FRONTLIT SERIES**

SFB-10: 10 OZ White Back	SBW-10: 10 OZ Blockout (Black Back)
SBW-13:13 OZ Blockout	SFB-10/SBW- 10: Matt for
(Black Back)	Indoor Signages Event



#### **BACKLIT SERIES**

SSP-15: Backlit Flex	SSP-18: Backlit Flex
Both SSP-15 & 18 are suitable for	SF-500: For coloured Vinyl Pasting
Back to Back Printing	Backlit Flex with 5 years warranty
	For Banking & Petroleum signs



#### **SHD-60 PREMIUM**

#### **Scrimless Backlit Flex**

Common Applications:

Airport Signs	Indoor Light Boxes
Backlit Signs	Malls Branding



#### **SOLIT 420**

#### **Pop Banner Media Grey Media**

Common Applications:

Common Applications :	
Grey Back POP Banner Media for	Anti Curl
Standee	
Premium Quality	Suitable for Indoor/Outdoor Banner Stand



#### **STAR FLEX**

Premium quality Translite Media Common Applications:

Anti curl	Premium quality superior image
Suitable for in store backlit film	Superior quality backlit film
Printable with: Solvent / Eco solvent/HP latex/UV Machine	

#### **NSBO-3012 Blockout Flex (Both Side Printing)**

White opaque subtrate for both sides display.

Newly designed & improved for delicate printability. Softer Surface.

Banners, exhibition decoration and in-store display. Weather Resistant.

Printable with Solvent/Eco Solvent/Latex/UV







#### STRIP MESH BANNER SSM 12 P

Small Holes, High Wind Grade	Light-Weight & Easy to
	Handle
Durable and Specially Tested Material	Water Resistant &
Perfect for Fences or Wind Passing Through	Fade Resistant



#### STARFLEX VINYL

Excellent print result Indoor / Outdoor decorations high quality (Heat, UV, Waterproof) available in White Gloss / Matt, Clear Gloss / Matt, White / Grey Back

STARFLEX MONOMERIC VINYLS	STARFLEX POLYMERIC VINYLS
White Gloss / Matt	Vehicle Wrapping Films
Printable with : Solvent / Eco Solvent / HP Latex / UV Machine	Car Wrapping Vinyl for Cars, Vans, Buses
	Grey Back, Bubble Free
	Available in Permanent & Removable

#### STARFLEX ONE WAY VISION

A great way to advertise on shop fronts while maintaining visibility and light. Also great for areas requiring privacy as the film allows only one way vision.

#### STARFLEX OPTICAL CLEAR FILM - STAR OCF

Size: 1.07, 1.27, 1.52 mtr. X 50 mtr.



MADE IN KOREA



#### **GLASS DECORATION FILMS**

#### **FEATURE**

Easily applied changeable & replaced for new look	
It can eliminate the need to Venetian Blind	
It can be cut by hand / plotter for any pattern / logo	
It can be used to enhance privacy in office	7
It can be printed as per required design by Inkjet / Solvent Printer	

#### **PRODUCT**

Frosted · Colored · Designs · Splus · SJ-200 · SJ -120

SSFF-01 • SJ-216 A (Film Liner) • Mccal Frosting

#### SUNSTAR DOUBLE SIDED MOUNTING FILM

It has twin coating of permanent adhesive on both sides of an ultra thin carrier protected by two sheets of heavy release liners. It Bonds instantly of paper, fabric, wood, metal, plastic and glass surfaces.

FEATURE	PRODUCT	
Ready to use without heat or paste	One Side Paper / One Side Film	
Easy to Cut	Both Side Film Liner	<b>410</b>
Permanent adhesive	Sparkle Film Liner	
	Both Side Paper Liner	



### **PVC FREE MEDIA (ECO FRIENDLY)**

FRONTLIT FABRIC	BACKLIT FABRIC	ALL ISHAY
Textile 250	• SS FAB-02	cal (m)
Textile 250 GB	• SS FAB-03	
Textile 300		Smell
<b>COTTON CANVAS CC-400 GLOSS / N</b>	<b>IATT</b>	I PVC
100% Pure cotton canvas 400gsm gloss / matt	Canvas 360 PC Matt	
		adi Adhesives

#### SILICON PVC STRIP

Idea for Sewing Backlit Fabric for Silicon Edge Graphic to ensure strength and stability, the wall thickness of our fabric frame profile are substantial and exceed typical standards

AVAILABLE IN CLEAR/WHITE







#### **INKJET MEDIA**

We have the finest-quality Inkjet Media for Graphics, Signage, Photographs and fine art for both indoor and outdoor display application. As digital printing become ever more popular, our high-quality Inkjet Media ensure accurate and consistent printing result. Suitable for use with the latest Inkjet Printing.

#### **PRODUCTS**

Self Adhesive PP Media Gloss & Matt	Inkjet Backlit Film Front Print & Reverse Print
Non Adhesive PP Media	Inkjet Fabric

#### **ECO SOLVENT MEDIA**

We have the finest-quality ECO Solvent Media for Graphics, Signage, Photographs and fine art, for both indoor and outdoor display application.

#### **PRODUCTS**

POP Banner Media Grey Back	Self Adhesive ECO Solvent PP Matt (150)	<b>AB</b>
ECO Solvent Backlit Film Translite	Textured ECO Solvent PP Media	
ESBL-230 / ESBL-170 / ESBL-150	NON Adhesive Wall Paper	1 Live
(VPPP)		FASHION
Self Adhesive Wall Paper	Textile	SHOP NOW
·	·	Control of the Contro

#### **ONE WAY VISION (DIGITAL PRINTING)**

A great way to advertise on shop fronts whilst maintaining visibility and light. Also great for areas requiting privacy as the film allows only One Way Vision.

#### **FEATURES**

Allows the full Graphic image to be seen on one side while still allows	
through a window from outer side	
Excellent weather resistance	
Highly perforated film and It is easy to apply and to remove	
Size: 3 feet, 4 feet and 5 feet	

#### **REFLECTIVE VINYL (DIGITAL PRINTING)**

NON TEARABLE FOR DIGITAL PRINTING

#### **PRODUCT**

Reflective Vinyl White	Retro Reflective Vinyl White
<b>Size:</b> 1.22 mtr. to 45.7 mtr.	







#### **VINYL SERIES**

APPLICATION	PRODUCT	
Interior & Exterior Signs/Window Decoration	Sunstar Lamination Gloss/Matt	
Vehicle Advertising / Graphic advertising	Sunstar White Vinyl - 120 Microns	
Temporary promotional & point of sale	Clear Vinyl	
	Gloss & Matt Available	
	Grey Back / Black Back Available	
	Bubble Free Grey Back Available for Ca	ar Wrapping

#### **LAMINATION SERIES**

Our Range of lamination flim is best know in the market for their transparency and different finishing options like matt & gloss.

		and the same of th
FEATURE	PRODUCT	A STATE OF THE PARTY OF THE PAR
Ready to use	Sunstar Lamination Glossy / Matt	The second second
Available in different size	Sunstar Ground Lamination 200 Micron	
Excellent adhesion & Protection	Ultra Clear Lamination / Optical Clear	
	Lamination available from 70 Mic to 10	00 Mic
	Sunstar 3D Lamination / Sunstar Sparkle Film SJ-200	
	(Special for HP Indigo printed photo al	bum)

#### **APPLICATION TAPES**

We have tape products sign making, screen printing digital printing, laser printing, engraving, hear transfer and textile printing application, From Vinyl lettring to vechil wraps, paper and film tapes are engineered to the highest standards - yours!



#### Product

Paper Application Tape	EZ Application Tape
Film Application Tape	Double Side Red Polyester Tape
Lifting Tape	Protection Tape
Acrylic Foam Tape Double Side	Mounting Tapes

#### **REFLECTIVE FLEX**

Front-Lit for Bill Board, Fence AD, Poster, Banner etc...

Size: 3 feet to 10 feet







# SUNSTAR MAGNETIC VINYL / MAGNETIC BASE

#### **MAGNETIC VINYL MAGNETIC BASE**

Product Code : Magnetic Vinyl SS-6000	Product Code : Magnetic Base SS-6500	Magne
Size 1.27mtr. X 30/50 mtr,	Size 0.61, 1.27 mtr. X 18 mtr.	car S.
Regular Size 0.914, 1.27, 152 mtr		5/1



#### **MAGNETIC VINYL DIRECT TO IRON**

Product Code: MV-60	Size: 1.27 mtr. X 20 mtr.
High value Magnetic receptive product Laminated substrate	Innovation Products that adapts with a magnetic receptive systems
Indoor & Outdoor large format sign application	Durable with high temperature or humid environment, such as sealed shopwindow and etc.
Effortless on changing graphic	

#### **SUNSTAR DIGITAL WALL MEDIA**

Excellent Print Quality	Adheres to any Surface	
Easy to apply	PVC Free	पतंजिल
UV & Rain Resistance	ECO Friendly	
Wall Media Size 1.27 mtr. X 50mtr.	Non Adhesive with Liner	0.234



#### **SUNSTAR WALLPAPER**

Product Code: WP-01 /WP-02 / WP-03 / WP-04 /	Width 1.27 & 1.37
WP-05	Length 30 mtr.
100 Micron	

#### SUNSTAR NON WOVEN WALLPAPER

Product Code: NWP-01 / NWP-02 Size: 1.07, 1.27, 1.37, 1.52 x 50 mtr.







#### **SUNSTAR GLOW-IN-DARK**

Product Code: NG-04

Size: 1.24 X 25 mtr.



#### **SUNSTAR PVC FREE VINYL**

Product Code: PF SAV-01

**Size:** 0.914, 1.02, 1.27, 1.52 x 50 mtr.



#### **SUNSTAR PVC FREE LAMINATION**

Product Code: PFL-Gloss / Matt

**Size:** 1.02, 1.07, 1.27, 1.52 x 100mtr.







#### **MCCAL COLORED VINYL**

We offer a large variety of vinyl colours from which to choose from. With transparent and opaque colours available, we are confident that you will find the perfect colour for your Brand.

#### **MCCAL SPECIALITY MEDIA**

Wallpaper	ECO Solvent Backlit Flim
Frosting Film	High Performance Vinyl Grey Back Bubble
	Free
Ultra Clear Vinyl	Special Wrapping Vinyl
	(Banking, Petroleum, Telecom Projects)
Car Wrapping Vinyl	

#### **Authorised Distributor all Over India**



MADE IN TAIWAN



# Change the Way of Print Use Textile

#### **BACKLIT TEXTILE MEDIA FOR DIGITAL PRINTING**

DECOPRINT® by SENFA® offer a comprehensive range of functional to meet the highest expectation of the market for large format digital printing up to 5.10 meters. For the last 15 years, the DECOPRINT brand is your guarantee of a quality textile media for excellent print results especially in niche application such as backlit textile for lightboxs and frontlit display application.

SENFA integrates the entire manufacturing cycle from R&D to production and commercialisation. This enables SENFA to develop new and innovation high-performance coated textile anticipating future trends in domestic and international markets.

With our understanding of the market, we can develop and create solutions for your needs guaranteeing the highest quality. Our strength is based on understanding and supporting the customer ensuring we provide complete satisfaction.

#### **DECOPRINT®**

fire retardant certification

Our Complete range complies with international fire regulation such as M1, B1, NFPA 701, CA 1237 Sm... etc.





#### **DECOPRINT®**

a trusted link in the graphic chain

Tested and approved by the most important players (Vutek, Durst, HP, Fotoba...) prior to market launch, our DECOPRINT products enable the best possible result by combining RIP software machines and media to produce the most stunning and visually impressive graphic.

#### **ECO DESIGN MANAGEMENT**

For a number of years. Decoprint has developed an integrated eco-design management system and his commitment has been recognised by AFAQ AFNOR who awarded the ECO -Design AFAQ label. The company is committed to a constant process of offering new products and improving existing ones in order to optimise functional quality and respect for the environment



Our textile based and coatings meet the latest health and safety standards as sell as environmental requirements for the digital printing market and we integrate the carbon footprint in the product's life cycle analysis.



# **Media for Digital Printing**



# SENFA DECOPRINT®, a complete range for all your need. Supereme Quality marks our Originality

#### PREMIUM BACKLIT FABRIC (FR-GRADE)

A complete range of transparent and semi-transparent fabric for backlit application like lightboxes.

Great impact which bring light to colours and colours to life. These textiles are particularly useful for the promotion of products indoors and outdoor where light can be important.

#### PREMIUM BACKLIT FABRIC

#### Made in Europe

APPLICATION		
Exhibitions and Event	Backlit Displays	
Interior wall covering	Outdoor display	
Signage and Indoor display	Reproduction canvas for fine art	

<sup>&</sup>quot;Our in-house R&D works closely with all parts of the supply chain to optimize our products for printing be it with solvent, eco solvent, UV, Latex or sublimation link (direct or transfer)

Available width: 3 ft to 5 mtr.

"DECOPRINT®, the partner for perfect printing result worldwide"










# **STARTEC D-1**

2835 EPISTAR High Power LED Chip	
Power Dissipation : 1.2W	
Luminous Intensity : 115	
Dimension: 15mm(W)*68mm(L)*10mm(H)	
Storage Temperature : -30°C°+70°C	
Color: Cool White, Pure White, WW, Red	Operating Power: DC12V
Color Temp: 6500k, pure white	View Angle : 160°
Operating Temperature : -20°C°+60°C	IP Grade : 67 Waterproof

# **STARTEC LED MODULE** (MADE IN KOREA)

starteo
200
1000 (1000)
Storage Temperature: -30°C <sup>0</sup> -70°C
IP Grade : 68 Waterproof



Startec\*



# **SIGNTEK PREMIUM ST-12**

2835 EPISTAR High Power LED Chip	Operating Power: DC12V
Power Dissipation : 1.2W	Color Temp: 10000K Cool White
Luminous Intensity : 115	View Angle : 160°
Dimension: 15mm(W)*68mm(L)*10mm(H)	IP Grade : 67 Waterproof
Storage Temperature : -30°C~+70°C	
Color: Cool White, Pure White, WW, Red	
Operating Temperature : -20°C~+60°C	

# **SIGNTEK MODULE - ST-01 W (WHITE)**

Color : White	Color Temperature (K) : 9000K-10000K
Operating Voltage (Volt DC) : 12V	Viewing Angle (Degree) : 160°
Power Consumption Module (W): 1.1W	Efficacy : 104 Lm per Watt
Working Temperature : -30° C to + 80° C	
Led Type : 2835-Samsung	SAMSUNG
Warranty : 5 Years	
Flux: 115Lm	SHOW THE STORM R
Module Dimension (mm) : 65L *15W *8H	
ID Grade: 67 waterproof	

#### **CERTIFICATIONS**

• Lm79 • lp67





# **SIGNTEK MODULE - ST-01 WW (WARM WHITE)**

Color : Warm White	Color Temperature (K): 2700K-3200K
Operating Voltage (Volt DC): 12V	Viewing Angle (Degree) : 160°
Power Consumption Module (W): 1.1W	Efficacy : 104 Lm per Watt
Working Temperature : -30° C to + 80° C	ID Grade: 67 waterproof
Led Type: 2835-Samsung	
Warranty: 5 Years	WSUNG SIGNIEN
Flux: 110Lm	VISUNG
Module Dimension (mm): 65L x 15W x 8H	

#### **CERTIFICATIONS**

Lm79 • lp67

# **SIGNTEK MODULE - ST-01 R (RED)**

Color : Red	Wavelength : 630 mm	
Operating Voltage (Volt DC): 12V	Viewing Angle (Degree): 160°	
Power Consumption Module (W): 1.1W	Efficacy : 95 Lm per Watt	
Working Temperature : -30° C to + 80° C	Flux: 100Lm	
Led Type: 2835	Powered by	
Module Dimension (mm): 65L *15W *8H	KODEAN OLUD	
Warranty: 5 Years	KOREAN CHIP	

#### CERTIFICATIONS

Lm79 • lp67

# **SIGNTEK MODULE - D-1 (WHITE, WW, RED, BLUE, GREEN)**

· · · · · · · · · · · · · · · · · · ·	
High Power EPISTAR LED Chip	Operating Voltage DC12V
Power Dissipation : 1.2W, 1.5W	Efficacy : 95 Lm per Watt
Color Temp: 10000K	View Angle : 160°
Working Temperature : -30° C to + 80° C	
Color: Cool White, Pure White WW, Red, Blue, Green	
• lp67	
Module Dimension (mm): 65L *15W *8H	

#### SIGNTEK - LED STRIP FOR BACKLIT FABRIC ALSO AVAILABLE

12 Led Per Mtr.	O . II . O . II . O .
12 - 18 Watt	O III ® O II II N





# **SIGNTEK ST-04**

High Power Korean LED Chip	Operating Power : DC12V	
Power Dissipation : 1.2W, 2W, 3W	Color Temp : 6500K-10000K	
Luminous Intensity : 95 Lm per Watt	View Angle : 160°	
Module Dimension (mm): 41L *41W *6H	Operating Temperature :	
	20° C~+60°C	1-10
Storage Temperature : 30° C~+70°C	IP Grade : 67	
Constant Current Technology : Aluminium PCB for Heat Disspation		



#### **SIGNTEK - FLEXIBLE LED STRIP**

Flexible Led Strip. 2835-5050 Led Chip	Operating Power : DC12V
Power Dissipation : 4.5W, to 15W Per mtr	Color: CW, PW, WW, R,G,B
Operating Temperature : 30° C~+60°C	Storage Temperature : 30° C~+70°C
Luminous Intensity : 95 Lm per Watt	View Angle: 120°
IP Grade : Non Waterproof & Waterproof	Length: 500mm Per Reel
·	



# **SIGNTEK - LED POWER SUPPLY (RAINPROOF)**

Output Over - Voltage, Over Current and Shor		
IP - 65 Designed Against Rain Splash		Carlon Carlon
Accurate and Stable Output Voltage	Full Range of Input Voltage	
BIS Certified	100% Load Tested	



# **SIGNTEK - LED POWER SUPPLY (WATERPROOF)**

Withstand 300VAC surge input for 5 second	Universal AC Input
Cooling Method : Natural Cooling	100% full load tested
Sealed Inside with plastic irrigation. (IP67 grade)	High Performance
Protection: Short Circuit/Overload /Over voltage	Constant voltage Design
BIS Certified	Working Temp.: -25°C to 50°C
	<del>.</del>



#### **SIGNTEK SLIM POWER SUPPLY**

BIS Certified	Accurate and stable output Voltage			
100% load tested	Full range of input voltage			
Designed against indoor use (Fabric Backlit Board)	IP 24			
Output over voltage over current and short circuit protection				





# **LED Power Supply Constant Voltage Mode**

#### **OUTDOOR LIGHT CONVERTER - 12V & 24V**

#### **MADE IN KOREA**

Efficiency 92%-93%





Withstand Voltage: Primary to Scondary: 3.75KVAC

Surge: +4KV





Protection: OCP, SCP, OTP, OVP





Warranty: 3 to 5 Years Warranty

Ultra Compact Size





Case: Metal



Operating Temp / Humidity: -20-50°C 20-85%RH

Waterproof: IP68















Model	Input Voltage	Output Power	Input Voltage	Oupput Current	Efficiency	Case	Size/Weight
EP60 12V-L-12V	200V-240V	60W	12V/24V	4.6/ 2.3A	93%	Metal	168*34*26/0.24 Kgs
OMS-EP100F 12V	170V-240V	108W	12V/24V	8.3/4.15A	93%	Metal	143*54*36/0.35 Kgs
OMS-EP150F 12V	170V-240V	163W	12V/24V	12.5A/6.25A	93%	Metal	143*54*36/0.35 Kgs
OMS-EP200F 12V	170V-240V	217W	12V/24V	16.6A/8.3A	93%	Metal	175*54*36/0.45 Kgs
OMS-EP300F 12V	170V-240V	325W	12V/24V	25A/12.25A	93%	Metal	224*54*36/0.65 Kgs
EP400 12V-L 12V	170V-240V	430W	12V/24V	33A/16.5A	93%	Metal	248*68*43/1.04 Kgs





# **LED Power Supply Constant Voltage Mode**



Efficiency 92%-93%





Withstand Voltage: Primary to Scondary: 3.75KVAC

Surge: +4KV







Case: Metal





Operating Temp / Humidity: -20-50°C 20-85%RH

Waterproof: IP68



Protection: OCP, SCP, OTP, OVP





Warranty: 3 to 5 Years Warranty

Ultra Compact Size















Model	Input Voltage	Output Power	Input Voltage	Oupput Current	Efficiency	Case	Size/Weight
EP60 12V-L-12V	200V-240V	60W	12V/24V	4.6/2.3A	93%	Metal	168*34*26/0.24 Kgs
OMS-EP100F 12V	170V-240V	108W	12V/24V	8.3/4.15A	93%	Metal	143*54*36/0.35 Kgs
OMS-EP150F 12V	170V-240V	163W	12V/24V	12.5A/6.25A	93%	Metal	143*54*36/0.35 Kgs
OMS-EP200F 12V	170V-240V	217W	12V/24V	16.6A/8.3A	93%	Metal	175*54*36/0.45 Kgs
OMS-EP300F 12V	170V-240V	325W	12V/24V	25A/12.25A	93%	Metal	224*54*36/0.65 Kgs
EP400 12V-L 12V	170V-240V	430W	12V/24V	33A/16.5A	93%	Metal	248*68*43/1.04 Kgs







#### **INTERONE MODULE: 1 MODULE WHITE-WW, SAMSUNG**

Color Temperature : 6500K Voltage Operation : DC12V Power Consumption : 1.5W

Current : 125mA Viewing Angle : 170°

Weight: 4g

Operation Temperature :  $-20^{\circ}$ C  $\sim 60^{\circ}$ C ( $-4^{\circ}$ F  $\sim 140^{\circ}$ F) Storage Temperature :  $-40^{\circ}$ C  $\sim 75^{\circ}$ C ( $-40^{\circ}$ F  $\sim 167^{\circ}$ F)

Waterproof: Ip68

Dimensions: 26 x 23 x 7.0 mm

Wire Length: 80mm (3.15 inch) UL 18 AWG Pair



#### **INTERONE MODULE: 2 MODULE WHITE-WW, SAMSUNG**

Color Temperature : 3000K, 9000K

Power Consumption: 0.48W

Viewing Angle: 160°

Operation Temperature: -20°C ~ 60°C (-4°F ~ 140°F)

Waterproof: Ip68

Wire Length: 85mm (2.56 inch) UL 18 AWG Pair


Voltage Operation : DC12V

Current: 40mA, 60mA

Weight: 5g

Storage Temperature: -40°C ~ 75°C (-40°F ~ 167°F)

Dimensions: 43 x 15 x 7.1 mm



#### **INTERONE MODULE: 3 MODULE WHITE SAMSUNG**

Color Temperature: 9000K - 10000K

Power Consumption: 1.14W

Viewing Angle: 160°

Operation Temperature: -20°C ~ 60°C (-4°F ~ 140°F)

Waterproof: Ip68

Wire Length: 80mm (3.15 inch) UL 18 AWG Pair


Voltage Operation : DC12V

Current: 95mA, 60mA

Weight: 7g

Storage Temperature : -40°C ~ 75°C (-40°F ~ 167°F)

Dimensions: 68 x 15 x 7.1 mm











#### **INTERONE MODULE: 3 MODULE WHITE SAMSUNG**

Color Temperature : 3000K, 4000K, 65000K

Power Consumption: 0.72W - 1.14W

Viewing Angle: 170°

Operation Temperature : -20°C ~ 60°C

 $(-4^{\circ}F \sim 140^{\circ}F)$ 

Waterproof: Ip68

Wire Length: 80mm (3.15 inch) UL 18 AWG Pair

Voltage Operation : DC12V

Current : 60mA Weight : 7g

Storage Temperature :  $-40^{\circ}\text{C} \sim 75^{\circ}\text{C} (-40^{\circ}\text{F} \sim 167^{\circ}\text{F})$ 

Dimensions: 68 x 15 x 7.1 mm



#### **INTERONE MODULE: 4 MODULE WHITE, SAMSUNG**

Color Temperature: 9000K-10,000K

Power Consumption: 1.44W, 2.28W

Viewing Angle: 160°

Operation Temperature: -20°C ~ 60°C

 $(-4^{\circ}F \sim 140^{\circ}F)$ 

Waterproof: Ip68

Wire Length: 100mm (3.94 inch) UL 18 AWG Pair


Voltage Operation : DC12V

Current: 120mA, 170mA

Weight: 12g

Storage Temperature : -40°C ~ 75°C (-40°F ~ 167°F)

Dimensions: 43 x 43 x 6.9 mm













#### **SUN SIGN & TECHNOLOGIES**

(An ISO 9001:2008 Certified Co.)

207, Aradhana Bhawan, Commercial Complex, Azadpur, Delhi-110033 (India)

Ph.: 91-11-47506050, 47506028 Mobile: 9717673610, 9711918011 E-mail: sunsigntechnologies@gmail.com, sunsigntech@yahoo.co.in Web.: www.starflexindia.com